

MATERIAL SAFETY DATA SHEET

MANUFACTURER'S NAME:

QUALITY SYSTEMS, INC.
1101 Menzler Road
Nashville, TN 37210

EMERGENCY TELEPHONE NO.:

(800) 535-5053

DATE OF PREPARATION:

3/24/08

INFORMATION TELEPHONE NO.:

(800) 607-3762

SECTION I-PRODUCT IDENTIFICATION

PRODUCT NAME: PERMA•GRIP SLIP TEX

SECTION II-HAZARDOUS INGREDIENTS

INGREDIENT	CAS #	OSHA PEL
POLYPROPYLENE HOMOPOLYMER	9003-07-0	5mg/m3 (dust)

SECTION III-PHYSICAL DATA

PHYSICAL STATE:	Solid	FLASH POINT:	>530° F / 277° C
ODOR:	None	DENSITY:	0.90 g/cc
VAPOR PRESSURE:	NIL	PH:	N/A
VAPOR DENSITY:	Heavier than air	VISCOSITY:	N/A
BOILING POINT:	N/A	VOC:	Zero
MELTING POINT:	330° F / 166° C		

SECTION IV-FIRE AND EXPLOSION HAZARD DATA

OSHA FLAMMABILITY CLASS: Combustible solid
FLASH POINT: >530° F / 277° C
EXTINGUISHING MEDIA: Carbon Dioxide, dry chemical or fine water spray. Avoid water spray on molten burning material as it may scatter and spread the fire.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing approved by NIOSH. Watch footing on floors and stairs because of possible melting and spreading of material. Use spray to keep containers cool.

HMIS CODES: H - 1; F - 1; R - 0; PP - E

SECTION V-HEALTH HAZARD DATA

ROUTES OF ENTRY: Inhalation: Yes Skin: No Ingestion: No

EFFECTS OF OVEREXPOSURE:

INHALATION: Inhalation of dust may cause respiratory irritation. EYE CONTACT: Fine particles may cause mechanical eye irritation. SKIN CONTACT: Mild dermal irritant; exposure may lead to itching, or skin irritations in sensitive individuals.

INGESTION: Generally non-toxic unless large quantities are ingested.

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE:

May irritate people with skin problems, asthma and lung disease.

FIRST AID:

INHALATION: Treat as a nuisance dust. Remove victim to fresh air if breathing is difficult.

EYE CONTACT: Flush with large quantities of water for 15 minutes.

SKIN CONTACT: If skin becomes irritated, wash hands with soap and water and use emollient skin cream.

INGESTION: Induce vomiting if large quantities are ingested.

SECTION VI-REACTIVITY DATA

STABILITY: Stable.

CONDITIONS TO AVOID: Excessive heat and open flames.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: Carbon monoxide, carbon dioxide, and combustible gases may be generated.

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents and amines.

SECTION VII-SPILL AND DISPOSAL PROCEDURES

SPILL RESPONSE: Spilled product may be picked up with a shop vacuum, or by sweeping.

RECOMMENDED DISPOSAL: This product is not a hazardous waste if discarded. Obey all applicable disposal regulations.

SECTION VIII-SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION: Sensitive individuals may need to wear a NIOSH approved dust respirator.

SECTION VIII-SAFE HANDLING AND USE INFORMATION

NORMAL HANDLING: Always wear recommended personal protective equipment. Avoid spillage which can cause very slippery conditions on floors.

HYGIENIC PRACTICES: Wash skin thoroughly with soap and warm water after handling, and before smoking, eating or applying make-up. If clothes become contaminated, change to clean clothing. Do not wear contaminated clothing until properly laundered.

SECTION IX-SPECIAL PRECAUTIONS

RECOMMENDED STORAGE: Avoid excessive heat. Do not store near strong oxidizing agents or amines.

Abbreviations: N/D - Not Determined

N/A - Not Applicable

This information is accurate to the best knowledge of Quality Systems, Inc., but is furnished without any expressed or implied warranties. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.